

# EX Inkjet Roll Service Exactly what you need.

EX intended for inkjet. Improved lead times. Exceptional performance.

Expect the quality and print consistency you need for your production inkjet web presses, faster and more reliably.



EX is a comprehensive portfolio of intended-for-inkjet rolls for printers that operate production inkjet web presses.

Billerud offers a broad product array with exceptional optics, surface smoothness and consistency, paired with excellent roll condition for reliable runnability. Our distinguished brands, like Sterling® and Influence,® have been trusted for stellar on-press performance and quality for generations. And now embraced by inkjet press manufacturers and customers alike.

With popular widths warehoused to improve supply chain lead times plus custom widths available from manufacturing, EX offers real-time solutions for inkjet advancement.

#### **ROLL SIZES:**

- 18" and 20" widths stocked
- Custom widths available via manufacturing.
  Subject to approval.
- Standard with 50" OD and 3" cores

Roll labels for items within the EX Inkjet Roll Service program will be distinguished by an EX suffix.

To learn more about rolls within this program please contact your Billerud Customer Service Representative at 800 258 8852.

^In all printing situations, the quality requirements and productivity expectations vary based upon the complexity of the end-use applications. While many digital press manufacturers recommend certain offset papers, customers should verify product compatibility with the digital press manufacturer, test substrates prior to use and consider the printing demands of the specific job.

#### **COATED INKJET WEB**

# Sterling<sup>®</sup> Ultra EX

#### NARROW ROLLS. READY TO RUN.

Sterling, a trusted brand for generations, has become the go-to coated paper for an expanding inkjet market for its positive on-press performance and print quality. Sterling Ultra EX brings the same outstanding attributes you've come to rely on. It delivers exceptional optics, surface smoothness and consistency. And with roll condition to meet production inkjet print requirements, the choice to run with Sterling Ultra EX has never been easier.

#### **FEATURES:**

- · Gloss and Matte finish
- 7 & 9 pt. offerings meet USPS minimum requirements
- Intended for production inkjet web presses designed to run coated papers^
- Roll condition that meets production inkjet printing requirements
- Smooth surface and excellent gloss ink holdout for crisp dot resolution and images that snap
- Consistent and reliable press performance and bindery throughput
- Fully backed by our best-in-class customer support
- Manufactured in the USA with Pride

#### **APPLICATIONS:**

- Annual reports
- Magazine inserts
- Direct mail
- Corporate brochures
- Catalogs
- Posters

Material Number	Basis Wt.	GSM	Size	Diameter	Brightness	Gloss	Opacity	Caliper
Gloss Text								
396217	60	89	18	50	90	72	92	2.7
396219			20	50				
396163	70	104	18	50	90	72	93.5	3.2
396165			20	50				
392289	80	118	18	50	90	72	95	3.7
392288			20	50				
392330	100	148	18	50	90	72	97	4.7
392331			20	50				
Gloss Cover								
392377	7 pt.* (133 lb. T/73 lb. C)	197	18	50	90	70	98	7.3
392378			20	50				
392381	9 pt.** (162 lb. T/89 lb. C)	240	18	50	90	70	98.5	9.3
392392			20	50				
Matte Text								
396179	60	89	18	50	90	25	93	3.2
396181			20	50				
396176	70	104	18	50	90	25	95	3.8
396178			20	50				
392354	80	118	18	50	90	25	96.5	4.4
392353			20	50				
392339	100	148	18	50	90	25	98	5.8
392338			20	50				
Matte Cover								
392379	7 pt.* (116 lb. T/64 lb. C)	172	18	50	90	25	97	7.3
392380			20	50				
392393	9 pt.** (143 lb. T/79 lb. C)	212	18	50	90	25	98	9.3
392394			20	50				

Noted '7 pt. and "9 pt. minimum caliper items are guaranteed for postal applications. With the exception of noted '7 pt. and "9 pt. minimum caliper items, Billerud manufactures to basis weight, not to specific bulk standards.

#### COATED INKJET WEB

# Sterling® Points EX

#### MORE INKJET OPTIONS. THAT'S THE POINT.

Sterling Points EX is a new, caliper cover grade that commercial printers can use in production inkjet web presses. Points expands the Sterling offering range with 8,10, and 12 pt. C2S options to meet the paper needs of the inkjet print market. The unrivaled and proprietary soft-gloss finish delivers excellent legibility and high-quality image reproduction for commercial and packaging end uses.

#### **FEATURES:**

- 8, 10, and 12 pt. C2S
- Intended for production inkjet web presses designed to run coated papers<sup>^</sup>
- Roll condition that meets production inkjet printing requirements
- Ideal for a variety of applications requiring a structurally sound base with a graphic paper print surface
- Soft-gloss finish is a smooth, non-glare surface that balances exceptional print gloss and readability
- Demonstrated on-press and finishing performance
- Fully backed by our best-in-class customer support
- · Manufactured in the USA with Pride

Material Number	Basis Wt.	GSM	Size	Diameter	Brightness	Gloss	Opacity
Soft-gloss C2S							
393210	8 pt. (130 lb. T/71 lb. C)	192	18	50	91	40	96
393283			20	50			
393211	10 pt. (160 lb. T/88 lb. C)	237	18	50	91	40	97.5
393284			20	50			
393282	12 pt. (187 lb. T/102 lb. C)	277	18	50	91	40	98
393285			20	50			

#### **APPLICATIONS:**

- · Greeting cards
- Postcards
- Posters

- Folders
- Signage
- Calendars

- Direct mail
- Menus
- Packaging

#### COATED INKJET WEB

### Influence® EX

#### LIGHTER WEIGHTS. INKJET FOR PUBLISHING.

Influence, the recognized category leader in a No. 3 web paper, is now making an impression with the inkjet market as a recognized solution for lighter weight book or publication work. Influence EX delivers the printability and appearance ideal for publishing and coated book applications with excellent ink adherence, readability, and image reproduction that delivers vibrant colors and textual clarity every time. Available in both gloss and matte options so you can run with confidence and impress your audience.

#### **FEATURES:**

- · Gloss and Matte finish
- Intended for production inkjet web presses designed to run coated papers^
- Roll condition that meets production inkjet printing requirements
- Enhanced optical properties produce truer, more vibrant image reproduction
- Excellent surface gloss and smoothness deliver outstanding ink holdout, ink lay, ink gloss and surface consistency
- Unparalleled pressroom performance and printability
- CoC certification and recycled options available
- · Meets SIMRA requirements
- · Manufactured in the USA with Pride

Material Number	Basis Wt.	GSM	Size	Diameter	Brightness	Gloss	Opacity	Caliper
Gloss Text								
394532	50	74	18	50	86	70	89.5	2.2
394504			20	50				
394507	60	89	18	50	88	70	91.5	2.7
394508			20	50				
Matte Text								
394505	501,2	74	18	50	86	25	91	3.1
394506			20	50				
394509	60¹	89	18	50	88	25	92	3.6
394510			20	50				

<sup>&</sup>lt;sup>1</sup> Contains higher levels of mechanical fiber.

#### APPLICATIONS:

· Book and publication

<sup>&</sup>lt;sup>2</sup> Meets SIMRA certification requirements.

#### **UNCOATED INKJET WEB**

## Ideal® Jet EX

#### UNCOATED INKJET. THE IDEAL COMBINATION.

Aesthetically pleasing optics. Uniform surface. Excellent opacity and print quality. This is the ideal uncoated option for a wide range of transactional and commercial printing end uses. Meet your new day-in day-out uncoated paper, designed specifically for inkjet web applications: Ideal Jet EX.

#### **FEATURES:**

- True uncoated designed for untreated inkjet applications<sup>^</sup>
- Uniform dot resolution for high density text and crisp image reproduction
- · Higher opacity minimizes show-through
- Designed for consistent on-press performance
- 55 lb. offers potential yield advantage and end-use thickness/weight reduction
- Meets EX standards of service and quality, stocked rolls with intended-forinkjet roll quality
- 18" roll size stocked with other making roll sizes available, subject to approval.
   Contact your Billerud representative to learn more.
- Manufactured in the USA with Pride

Material Number	Basis Wt.	GSM	Size	Diameter	Caliper	Brightness	Opacity	Smoothness
Uncoated								
395874	50 lb. T/20 Bond	75	18	50	4.0	92	93	150
395883	55 lb. T/22 Bond	82	18	50	4.4	92	94	150

#### **APPLICATIONS:**

- Transactional statements
- Promotional inserts
- Direct mail
- Manuals
- Books

• • • • • billerud.com





